

WORLD CUP FINAL: #GERvARG - How Germany v Argentina played out on Twitter

Geotagged Tweets mentioning key terms around the World Cup game, July 12, 2014, Brazil time



Obligatory
James Mickens
Vorld of Ours'
reference.

Threat Model

Threat	Ex-girlfriend/boyfriend breaking into your email account and publicly releasing your correspondence with the My Little Pony fan club	Organized criminals breaking into your email account and sending spam using your identity	The Mossad doing Mossad things with your email account
Solution	Strong passwords	Strong passwords + common sense (don't click on unsolicited herbal Viagra ads that result in keyloggers and sorrow)	 Magical amulets? Fake your own death, move into a submarine? YOU'RE STILL GONNA BE MOSSAD'ED UPON

https://t.co/Ej94YI4Ovr

Obligatory
James Mickens
Ours'


James Morld of Ours'

reference.


Threat Model

Threat	Ex-girlfriend/boyfriend breaking into your email account and publicly releasing your correspondence with the My Little Pony fan club	Organized criminals breaking in your email account and sending spam using your identity	/ /	- 1	ne Mossad doing Mossad things th your email account
Solution	Strong passwords	Strong passwords + common sense (don't click on unsolicited herbal Viagra ads that result in keyloggers and sorrow)		•	Magical amulets? Fake your own death, move into a submarine? YOU'RE STILL GONNA BE MOSSAD'ED UPON

https://t.co/Ej94YI4Ovr







https://t.co/ykdsHGV84r



https://t.co/ykdsHGV84r



https://t.co/ykdsHGV84r

Threat Model

Threat Actors:

- hackeris vulgaris
- organized crime (fsvo "organized")
- local governments or intelligence services
- foreign governments or intelligence services


Threat Model

Assets:


- Physical Equipment
- Local Service Access Point
- Access/Entry point to Infrastructure
- TLS keys

Access/Entry point to Infrastructure

- physically protected systems
- no "secrets" permanently stored on systems
- traffic severely restricted
- all traffic must be mutually authenticated



Obligatory XXCD comic.






This also works.




TLS keys




TLS keys












How to draw an owl





Draw some circles

2. Draw the rest of the fucking owl


Booting

First time:


- boot into single-user mode
- generate TPM-backed CSR
- submit CSR to service in datacenter
- cert generated, used to encrypt client puppet key
- encrypted puppet key stored in host image


Nth time:


- iPXE via TLS
- init script decrypts puppet key using TPM
- puppet does its thing



http://cm.bell-labs.com/who/ken/trust.html









Raising the cost of attack

Wile E. Coyote needs:

- physical access
- ability to attack running system
- persistent undetected presence







Reducing the value of TLS keys

- Forward Secrecy
- tightly scoped certificates
- short-lived
- alert if observed outside of expected env


Possible scenarios

 hardware compromised prior to us racking it

 resources compromised through temporary physical access (ACME backdoor)

 ACME fake hole, ACME rocket powered roller skates, ACME do-ityourself tornado kit, ACME earthquake pills, ...





films.co.uk



Lessons:

You can't just rub some crypto on it.



http://youtu.be/YsY2-yi5W74





